LOTUS **EXIGE**





"Simplify, then add lightness"



LOTUS EXIGE CONTENTS

A UNIQUE PLACE IN HISTORY	2
PERFORMANCE THROUGH LIGHT WEIGHT	4
BUILT-IN PERFORMANCE	6
LOTUS EXIGE INTRODUCTION	11
LIGHTWEIGHT AGILITY HEAVYWEIGHT PUNCH	12
LOTUS EXIGE SPORT 350	14
LOTUS EXIGE SPORT 410	16
LOTUS EXIGE CUP 430	18
PAINT OPTIONS	20
FURTHER INFORMATION	22

A UNIQUE PLACE IN **HISTORY**

From the original Elite to the latest Evora, Lotus has remained true to its founding principles. Lightweight construction, efficient use of the minimum number of parts, a perfectly balanced chassis and tactile, communicative steering are evident in every driving icon to proudly carry the Lotus badge.

Since the day Colin Chapman established Lotus in 1952, the company has never ceased to innovate. This has earned Lotus a distinguished place in motorsport history. In Formula 1 alone, Lotus has achieved 81 victories, 102 pole positions and 13 World Championships from over 500 Grand Prix starts. Lotus designs have also beaten the best in World Rally, Le Mans, Indy Car, Touring Car and numerous Sports Car and GT classes around the world.

Colin Chapman applied pioneering, lightweight engineering to every one of his race and road cars. He is widely regarded as one of the most influential automotive engineers of all time. From the

introduction of the monocoque chassis, to aerofoil wings, 'ground effect' and active suspension, Chapman's innovations changed racing car design forever. Lotus continues to push the boundaries of automotive design and engineering today with expertise in lightweight construction, performance electronics, the bonded aluminium chassis, the world's only mid-engined 2+2 sports car and industry benchmark steering, ride and handling. A deeply ingrained passion for innovation remains at the heart of everything Lotus does today.



Above: Founder Colin Chapman. Right: 1972, Fittipaldi in the iconic black and gold livery debriefs Chapman



"If you're not winning, you're not trying."

Golin Chapuc





FIA Formula 1 Constructors' World Championships



FIA Formula 1 Drivers' World Championships



FIA Formula 1 **Grand Prix** Wins



Le Mans Wins (in Class)



Indianapolis 500



FIA World Rally Championship

PERFORMANCE THROUGH

LIGHT WEIGHT

Throughout the 1950's, Lotus constructed a series of aerodynamically advanced, lightweight Sportsracers. Typified by the revered Lotus Eleven that won its class at Le Mans in 1957, all were spectacular examples of Colin Chapman's ethos. His passion for innovative, lightweight engineering was best encapsulated by his famous quote from the launch of the Lotus Seven in 1957: "to increase performance, add lightness".

Chapman's engineering ideals, proven time and time again in the toughest of environments, are more relevant today than ever. They live-on in the celebrated Lotus Elise. Launched to great acclaim in 1996, this mid-engined, rear-wheel drive, ultra-light thoroughbred redefined the sports car once again. Its revolutionary, bonded aluminium chassis delivers the ultimate driving sensation, providing

exceptional feedback with thrilling acceleration and extremely low running costs for the performance on offer. Over two decades later, it remains unmatched for precision, agility and pure driving engagement.

Today, the Lotus Lightweight
Laboratory maintains Colin
Chapman's legacy and ensures that
his ethos is applied to every new
model. After a complete strip down,
every component is assessed and
optimized through redesign, change
of material, change of supplier or
integration. If one part can be made to
do the job of several, this is where it
happens. Improvement is continuous.
The quest to add lightness never
ends. The result is the fastest, most
exciting, most capable range of
road cars Lotus has ever built.









BUILT-IN **PERFORMANCE**





The name Lotus is synonymous across the world with sublime handling and exceptional vehicle dynamics. The key to it all is that every Lotus is designed and engineered from scratch with a singular focus. Every Lotus is purposebuilt to be a pure sports car.

Any mass-produced saloon or hatchback can be made to go faster but it's never the optimal starting point for a performance car. For that, you need an exceptionally light, rigid chassis designed by a company with seven decades of elite-level motorsport experience. Every Lotus, from the Elise Sport 220 to the Evora GT410

Sport, benefits from a bespoke, motorsport tested, bonded aluminium chassis. The pioneering process of bonding aluminium extrusions remains state-of-the-art today and provides the ideal platform for some of the highest quality suspension components to be found on any road car.

Each and every Lotus car features the optimal, cost-no-object design of unequal length double wishbones for superior kinematics, absolute precision, intuitive response and maximum tyre grip. With all four contact patches optimally controlled, the Elise can generate astonishing cornering forces from modest tyres.

Very few car companies today offer such high quality suspension across the range. Then again, very few car companies focus exclusively on purpose-built sports cars.

The other secret to world-renowned ride and handling expertise, is the on-site test track at Hethel. A luxury enjoyed by few other car makers, it allows Lotus to develop cars faster and more intensively. Every Lotus is painstakingly honed to extract every last drop of dynamic performance from each component – remaining true to Colin Chapman's principle of performance through light weight.







LOTUS EXIGE INTRODUCTION

An idea forged in the white heat of competition but also extensively developed for the road, the Exige has always blended the extreme with the sublime. With a choice of potent supercharged V6 engines, a motorsport-proven chassis, dramatic styling and hardcore handling, the recipe for intense performance remains uncompromising. Benefitting from continuous evolution since the original was launched in 2000 with 177bhp, the latest Exige Cup 430 packs a staggering 430bhp and generates up to 171kg of downforce.

Every Exige has a commanding presence way beyond its size. The aggressive styling underlines its racing pedigree with fully functional, downforce-generating aerodynamics a statement of its performance intent. Motorsport-grade engineering is evident in every component, starting with a lightweight, torsionally

rigid chassis which doubles as a strong safety cell. This allows the huge outputs produced by the supercharged V6s to be transmitted to the road efficiently and with assured composure. The power-to-weight ratios may suggest brutal acceleration but every Exige is, first and foremost, a precision instrument. The mid-engined configuration maximizes traction and optimizes handling balance, ensuring breathtaking capability on both road and track.

The supercharged 3.5 litre V6 elevates the Exige to a rarefied level of performance. Compact, all-alloy and naturally balanced for smooth, linear power, acceleration is savage and relentless with such a low mass to propel. Muscular torque is instantly available right across the rev range, making the Exige effortless and surprisingly refined on the road.

Intense performance comes from intensive attention to detail. Racederived components including unequallength double wishbone suspension, Bilstein dampers, Eibach springs and AP Racing brakes have been meticulously developed through countless hours on road and track. A sophisticated Dynamic Performance Management (DPM) system helps the driver manage the formidable firepower, offering reassuring stability when grip levels are finally exceeded. Still one of the most advanced systems of its kind, 'RACE' mode constantly monitors, and instantly responds to, the levels of grip available - wet or dry. It aids stability and turn-in on the way into corners and maximizes traction out of them, for ultimate lap times. It is so seamless and unintrusive in operation that, for the first time, not even the factory test drivers can lap quicker with the system switched off.

LIGHTWEIGHT AGILITY

HEAVYWEIGHT PUNCH

The Exige takes the transition from challenging race track to open road in its stride. Masterfully honed suspension works in perfect harmony with the motorsport-proven chassis to deliver unmatched driver involvement at all speeds. The many benefits of the ultralow mass are constantly felt. Whatever the circumstances - tight hairpin, sweeping curve or endless straight - the Exige is superbly poised and controlled, delivering authentic, confidence-inspiring feedback through the exquisite, unassisted steering. At the slightest urge, the supercharged V6 responds immediately, surging forward on a wave of torque. The AP Racing brakes are quick to reassure with immense stopping power on the road and fade-free performance on the

track. The new, lighter, open-gate gear shifter delivers faster, more satisfying shifts and greater precision. Rewarding on the road. Supreme on the track. The Exige's dynamic abilities inspire awe and command respect wherever it goes.

The Exige range starts with the deeply capable Exige Sport 350. Available as a Coupe or Roadster, 345bhp meets just 1125kg for 307bhp per ton. Above that sits the mighty Exige Sport 410. Chargecooled for exceptional power and stamina on track, 410bhp meets 1110kg for 369bhp per ton. The ultimate Exige experience is reserved for the astonishing Exige Cup 430. With 430bhp pushing just 1110kg, the result is a heady 387bhp per ton. The road and track weapon to rule them all.







LOTUS EXIGE **SPORT 350**

Updated to stay ahead of the competition for 2019 and beyond, the ever-popular Exige Sport 350 continues to deliver driving excitement in its purest form.

A lesson in the value of a high power-toweight ratio, the combination of potent, torque-rich, 3.5 litre supercharged V6, mid-mounted in a rigid, lightweight chassis provides thrilling acceleration and instant response. Pure, unassisted steering offers exquisite feedback and vivid communication at all speeds. The Exige responds to steering inputs quickly, cleanly and intuitively, handling as only a 1125kg car can.

Available as both Coupe and Roadster, the latest Exige Sport 350 benefits from a revised, lighter, front clam design. Sculpted for greater aerodynamic efficiency, it brings the Sport 350's styling in line with the rest of the Exige range. It also works with the rear wing and diffuser to generate more downforce, for greater high-speed stability, without any increase in drag.



Choose from a wide range of lightweight, high-performance options including beautifully finished carbon fibre panels, forged wheels and an ultra-light (and fabulous sounding) titanium exhaust. Or go one step further with the Lotus Exclusive program and work with the Lotus Design team to realize your vision for the perfect Exige. A thoroughbred driver's car with exceptional driver engagement, the Exige Sport 350 remains an epic, unmissable driving experience.



TECHNICAL SPECIFICATION









Lightweight satin black or

silver forged alloy wheels (17'' front and 18'' rear)

(incl. exterior kill switch)

brake discs

Two-piece high-performance

Lightweight lithium-ion battery

345 hp at 7000 rpm (350 PS) Max power (257.5 kW) 295 lb ft at 4500 rpm (400 Nm) Max torque 0-60 mph 3.9 seconds 0-100 km/h 4.1 seconds Roadster

Max speed Fuel Consumption (WLTP) mpg (l/100 km)

Medium High Extra high Combined

Low

Combined CO₂ emissions Unladen weight

ENGINE AND TRANSMISSION

17.4 [16.2] 28.3 (10) 32.9 (8.6) 32.1 (8.8) 28.3 (10) 225 g/km Roadster

1114kg

3.5 litre DOHC V6 VVT-i, 24-valve, with Harrop supercharger

6 speed manual gearbox with sports ratios

Mid-mounted, transverse, rear wheel drive

SPORT 350 COUPÉ

170 mph (274 km/h)

1125 kg

chassis structure

front and rear anti-roll bar 145 mph (233 km/h) Bilstein high-performance gas

Eibach springs, front and rear

four-piston calipers

EXTERIOR SPECIFICATION

LED front daytime running lights with integrated direction indicators

LED rear lamps with integrated

Gloss black, cast alloy wheels (17" front and 18" rear)

CHASSIS AND BODY

Lightweight, extruded aluminium bonded

Fully independent double wishbone suspension with

dampers, front and rear

Red AP-Racing

Lotus/BOSCH tuned ABS system

Lightweight battery

direction indicators

Front Michelin PS4 tyres

265/35 R18

tailgate panel

Lotus Dynamic Performance Management (Lotus DPM)

205/45 R17

Rear Michelin PS4 tyres

Polished aluminium gear knob

seats with part leather interior

Centre console with exposed gearshift

Leather trim pack

Tartan trim pack

Lightweight black louvered

Rear parking sensors

Black soft-top (Roadster only)

Matt black front access panel, wing mirrors, rear transom and rear diffuser (no cost deletion)

INTERIOR SPECIFICATION

Black leather steering wheel

and leather handbrake sleeve

Black technical fabric sports

Driver and passenger airbags

OPTIONS: INTERIOR AND TRIM

Alcantara® trim pack

Leather steering wheel Full Alcantara® steering wheel

(black with red or yellow strip)

Alcantara® dashboard inserts Titanium exhaust Interior colour pack Battery isolator

Full carpets

Floor mats

Carbon fibre sill covers

(front splitter, rear wing,

Silver, cast alloy wheels

(17" front and 18" rear)

(no cost option)

Carbon fibre front access pane

Carbon fibre louvered tailgate

Polycarbonate backlight glass

Carbon fibre seats

Carbon aero pack

rear diffuser finish)

PAINT OPTIONS OPTIONS: LIGHTWEIGHT Signature paint

AND PERFORMANCE Metallic paint Carbon fibre roof (Coupé)

Carbon fibre hardtop (Roadster **LOTUS EXCLUSIVE OPTIONS**

> Exclusive paint alternative metallic colours

> > Exclusive paint: alternative pearlescent colours

Exclusive paint: custom colour choice

Bespoke double colour stitching (any colour) Exclusive leather:

alternative colour

Specified forged wheel in alternative finish

A commitment to continuous improvement has produced further aerodynamic gains, bringing maximum downforce to 115kg at 174mph. The revised, lighter, front



clam design is now shared across the Exige range, yet the Sport 410 commands presence on the road with a distinctive look all of its own. The high-mounted rear wing works with an extended aluminium diffuser to generate 70kg of downforce at the rear. This is carefully balanced by the front splitter and air-curtain elements for a further 45kg up front. Finely judged to

perform brilliantly on the road and a force to be reckoned-with on the track, this is a pure, thoroughbred sports car with real breadth of ability. Having 369bhp-per-ton at your disposal ensures the Exige Sport 410 is relentlessly thrilling and engaging to drive. So now we have a factory Exige with 410bhp and a comprehensive 3-year warranty. The Exige has come a long way. Fast.

TECHNICAL SPECIFICATION









RFORMANCE

PERFORMANCE
Max power
Max torque
0-60 mph
0-100 km/h
Max speed (Coupé)
Max speed (Roadster)
Fuel Consumption (WLTP) mpg (l/100 km) Low Medium High Extra high Combined
Combined CO ₂ emissions
Unladen weight

Aerodynamic downforce at

Power-to-weight ratio

maximum speed

3.5 litre V6, 24-valve, water cooled, all-aluminium engir
with Edelbrock supercharger and chargecooler

6-speed manual transmission, with gearbox cooler, coupled to Lotus' precision shift aluminium mechanism

Lightweight, single-mass, low inertia fly wheel and 240 mm diameter clutch

Baffled sump

EXIGE SPORT 410

302 lb ft from 2,500 to 7,000 rpm (410 Nm)	
3.3 seconds	
3.4 seconds	
174 mph (280 km/h)	
150 mph (241 km/h)	

16.8 [16.8] 28.5 (9.9) 33.2 (8.5) 30.1 (9.4) 27.7 [10.2]

230 g/km

1,110 kg

369 hp/tonne (384 PS/1000kg)

Front: 45 kg; Rear: 70 kg

ENGINE AND TRANSMISSION

CHASSIS AND BODY

Anodised, lightweight, extruded aluminium, epoxy bonded and iveted high-stiffness chassis

Servo assisted, race-derived, lightweight two-piece J-hook entilated brake discs (front 332 mm x 32 mm, rear 332 mm x 26 mm) and AP Racing four piston alipers

Unequal length, lightweight steel double wishbone suspension (front)

Unequal length, lightweight forged aluminium, double wishbone suspension (rear)

front and rear anti-roll bars

dampers, adjustable for rebound (24 click adjustment settings) and low speed compression (24 click adjustment settings) and high speed compression (16 click adjustment settings) and Nitror

Driver selectable ESP modes -Drive/Sport/Race/Off

EXTERIOR SPECIFICATION

Lightweight front clam including drag-reducing air curtain and carbon fibre splitter

Carbon fibre front access panel

Adjustable Eibach® tubular

Lotus-tuned, Nitron three-way

Tyre pressure monitoring system Lightweight lithium-ion battery

Lightweight carbon fibre tailgate with aerodynamically optimised rear wing in carbon fibre

Lightweight aluminium rear diffuser Polycarbonate backlight

Matt black hardtop (Coupé only

Black soft top (Roadster only)

Brake calipers – red painted with black AP Racing logo

Lotus designed, ultra-lightweight, fully machined, forged aluminium wheels (17"

front and 18" rear 10 spoke alloy wheels) in silver or black

Michelin Pilot Sport Cup 2 tyres (front 215/45 ZR17, rear 285/30 ZR18)

Mud flaps

LED daytime running lights Rear parking sensors

ECE R116 approved immobiliser and remote

activated alarm system INTERIOR SPECIFICATION

Carbon fibre sports seats, trimmed in black Alcantara® and leather with contrast twin stitching Centre console and door panels trimmed in a combination of

black Alcantara® and leather with contrast stitching Titanium exhaust

trimmed in black Alcantara®

OPTIONS: INTERIOR AND TRIM

Lotus developed steering wheel

Leather trim pack

Tartan trim pack

Leather trimmed fascia vents

Leather steering wheel

Interior colour pack

Full carpets

Floor mats

OPTIONS: COMFORT AND COMMUNICATION

Air conditioning

Stereo plus two front speakers

Sound insulation

Cruise control

OPTIONS: LIGHTWEIGHT AND PERFORMANCE

Carbon fibre hardtop (Coupé)

Carbon fibre hardtop (Roadster)

Carbon fibre binnacle top

Carbon fibre sill covers

diffuser finisher

Carbon fibre rear

Carbon fibre barge boards

Fire extinguisher and battery isolator (incl. exterior kill switch)

Standard battery (no cost option)

PAINT OPTIONS

Signature paint

Metallic paint

LOTUS EXCLUSIVE OPTIONS

Exclusive paint: alternative metallic colours

Exclusive paint: alternative pearlescent colours

Exclusive paint: custom colour choice

Bespoke double colour stitching (any colour)

Exclusive leather: alternative colour

Specified forged wheel in alternative finish

Exterior cost option: Matt black hardtop (Roadster only)

But there's much more to the Cup 430 than brute force. As with every other track-honed legend in the revered Exige bloodline, the Cup 430 remains a precision instrument. As agile, accurate, responsive and balanced as only a 1110kg car can be. Once underway, the unassisted steering is delicate and alive in your hands, full of rich detail and vivid clarity. The Lotus-developed Nitron dampers are now 3-way adjustable for greater traction, sharper turn-in and finer body control. Combined with adjustable anti-roll bars, wide Michelin Pilot Sport Cup 2s and genuine downforce, they generate cornering forces so enormous, we



had to fit a baffled sump. Uprated two-piece, AP Racing j-hook brake discs resist cracking and vibration while providing immense stopping power and fade-free performance on track. In addition to the highly advanced Lotus DPM (Dynamic Performance Management) system, you'll find a motorsport-derived, 5-stage traction control system to help contain the supercharged fury behind you.

Intensely engaging on the road and formidable on the track, the Exige Cup 430 combines purity and power like never before. The result is not merely the ultimate Exige but one of the most thrilling and immersive driving experiences available anywhere.



TECHNICAL SPECIFICATION









PERFORMANCE	
-------------	--

Max power 430 hp at 7,000 rpm (436 PS) (321 kW) Max torque

0-60 mph 0-100 km/h

Max speed

Fuel consumption (WLTP) mpg (l/100 km) Low Medium

High Extra high Combined

Combined CO2 emissions Unladen weight

Power-to-weight ratio

Aerodynamic downforce at maximum speed

Hethel lap time

EXIGE CUP 430

325 lb ft from 2,600 rpm to 7,000 rpm (435 Nm)

3.2 seconds 3.3 seconds

174 mph (280 km/h)

16.8 [16.8] 28.5 (9.9) 33.2 (8.5) 30.1 [9.4] 27.7 (10.2)

230 g/km 1,110 kg

387 hp/tonne

171 kg Front: 64 kg; Rear: 107 kg

1:24.8 seconds

ENGINE AND TRANSMISSION

3.5 litre DOHC V6 VVT-i, 24-valve, with Edelbrock supercharger

Mid-mounted, transverse, rear wheel drive

Baffled sump

6 position variable traction control

Electronic Differential Lock (EDL)

Driver selectable ESP modes - Drive/Sport/Race

Titanium exhaust system

CHASSIS AND BODY

Lightweight, extruded aluminium

Fully independent double wishbone suspension with adjustable front

adjustable dampers

Nitron springs, front and rear

AP Racing two-piece high performance J-Hook brake discs

Red painted brake calipers

Tyre pressure monitoring system

ABS system

EXTERIOR SPECIFICATION

with integrated direction indicators

(17" front and 18" rear)

tvres 285/30 R18

Rear fabric strap towing loop

Lightweight lithium-ion battery

New oil cooling system

LED rear lamps with integrated direction indicators

black forged alloy wheels

Rear Michelin Pilot Sport Cup 2

Polycarbonate backlight glass

Rear parking sensors

Headlamp aperture decal

Lightweight full carbon fibre tailgate panel

New style lightweight front clam

Carbon fibre front splitter

Carbon fibre straight rear wing

Carbon fibre rear diffuser finisher

Carbon fibre front access panel

Carbon fibre side intake

Carbon fibre hard top

Carbon fibre air curtains

Red highlight on front access panel hardtop and air curtains

Spoiler uprights linked to wheel colour choice (available in red, silver or black)

INTERIOR SPECIFICATION

Black Alcantara® trimmed steering wheel

Polished aluminium gear knob and leather handbrake sleeve

Black Alcantara® trimmed carbon fibre sports seats with contrast stitching

Black Alcantara® trimmed door cards and centre console with contrast stitching

> Alcantara® trimmed vent surrounds

Carbon fibre sill covers

Carbon fibre binnacle cover

Centre console with exposed gearshift

Driver and passenger airbags

OPTIONS: INTERIOR AND TRIM

Full carpets

Floor mats

Leather trim pack (no cost option)

Tartan trim pack (no cost option)

Interior colour pack - seat eyelets centre console surround, HVAC surround and window lift switch bezel painted in red, yellow, silver orange, black or white. (cost option)

OPTIONS: COMFORT AND COMMUNICATION

Air conditioning

Bluetooth® enabled stereo plus two front mounted speakers

Sound insulation

Cruise control **OPTIONS: LIGHTWEIGHT**

AND PERFORMANCE

Fire extinguisher

Battery isolator

Standard battery (no cost option)

PAINT OPTIONS

Signature paint

LOTUS EXCLUSIVE OPTIONS

Exclusive paint:

alternative metallic colours

Bespoke double colour stitching

Exclusive leather: alternative colour

in alternative finish

6 speed manual gearbox with sports ratios

bonded chassis structure

and rear anti-roll bar

Nitron three-way

LED front day time running lights

Lightweight red, silver or

Front Michelin Pilot Sport Cup 2 tyres 215/45 R17

Black trinket tray Metallic paint

Exclusive paint: alternative pearlescent colours

Exclusive paint: custom colour choice

(any colour)

Specified forged wheel

PAINT OPTIONS



SOLID YELLOW C206

SOLID RED C183

METALLIC PAINTS



METALLIC GREY C185



METALLIC BLACK C186



METALLIC SILVER C190



METALLIC WHITE C201



METALLIC BLUE C202



RACING GREEN C203







METALLIC LIGHT BLUE C208



METALLIC DARK GREY C213



EXIGE ORANGE C200

Images are for comparison only, please contact your local dealer for more accurate colour samples.

FURTHER INFORMATION

The information and images in this brochure are based on the current technical data when going to print. As part of a policy of continuous specification improvements, Lotus reserves the right to modify specifications, technical equipment, options and colours at any time. For the latest details please contact your authorised Lotus dealership or visit lotuscars.com. Throughout this brochure, wherever a feature is described as an option it should be assumed that it will be at extra cost to the base vehicle unless specifically stated to the contrary. All model and colour combinations are subject to availability.

Certain options or combinations of options may be unavailable in certain markets.

Performance results may vary depending upon the specification of the particular vehicle, environmental conditions, driving style and other factors. Published figures should be used for comparison purposes only and verification should not be attempted on public roads. Lotus

recommends that all local speed and safety laws must be obeyed and safety belts worn at all times. The track driving and stunt images contained in this brochure were taken on a closed circuit using professional drivers. Do not attempt to recreate this style of driving. Use of the vehicle on track or in a competitive manner is not endorsed by Lotus. Participation in use off-road, including on closed circuit tracks or for use in a competitive manner, including timed laps or runs will invalidate the manufacturer's warranty and the vehicle will require appropriate levels of expert vehicle preparation and servicing. Customers are responsible for ensuring that their cars comply with all relevant road, track and or race regulations at all times. CARS INTENDED FOR TRACK USE ONLY CARRY NO MANUFACTURER'S WARRANTY OTHER THAN THAT REQUIRED BY LAW.

Distributors and dealerships are not agents of Lotus and have absolutely

no authority to bind Lotus by any express or implied undertaking or representation. All vehicles should be purchased through an authorised Lotus dealership, please see the dealer locator at lotuscars.com. Purchaser's statutory rights are not affected.

Note that current print and photographic techniques do not allow us to faithfully reproduce the full depth and tone of the colours in this brochure. This brochure is designed to provide general product information and is not a contractual document or offer of sale. For current information please contact your authorised Lotus dealership. The details in this brochure cannot be reproduced without the express authorisation of Lotus. © Group Lotus Ltd 2019. Information relating to the designs and patents that are held by Group Lotus Ltd are available by visiting www.lotuscars.com/legaldesigns-and-patents or by writing to Group Lotus Ltd, Potash Lane.



For further information on the Lotus range, to find your nearest dealer, or to arrange a test drive, please visit our website.

LOTUSCARS.COM

EXIGE | GBR MAY19 | LOTVS05493









